

Title of Report:	TPO Confirmation – Lands at 28 – 32 Carncullagh Road, Dervock (LA01/2025/0002/TPO)
Committee Report Submitted To:	PLANNING COMMITTEE
Date of Meeting:	27 th August 2025
For Decision or For Information	For Decision

Linkage to Counc	cil Strategy (2021-25)
Strategic Theme	Cohesive Leadership
Outcome	Our elected members work collaboratively and make decisions on an evidence led basis and in line with its policies.
Lead Officer	Principal Planning Officer

Budgetary Considerations:	
Cost of Proposal	TPO Survey £390 (excl. VAT)
Included in Current Year Estimates	Within Budget
Capital/Revenue	
Code	34000 5301
Staffing Costs	Within budget/working hours

Screening Requirements	Required for new or revised I Proposals. Not applicable		, Strategies or Service Delivery Se.
Section 75 Screening	Screening Completed:	Yes/No	Date:
	EQIA Required and Completed:	Yes/No	Date:
Rural Needs Assessment	Screening Completed	Yes/No	Date:
(RNA)	RNA Required and Completed:	Yes/No	Date:
Data Protection Impact	Screening Completed:	Yes/No	Date:
Assessment (DPIA)	DPIA Required and Completed:	Yes/No	Date:

1.0 Purpose of Report

1.1 To present the TPO confirmation with modification for Lands at 28 – 32 Carncullagh Road, Dervock.

2.0 Background

- 2.1 Under Sections 122 and 123 of the Planning Act (NI) 2011 and the provisions of the Planning (Trees) Regulations (Northern Ireland) 2015 the Council may make Tree Preservation Orders (TPOs) to afford statutory protection to selected trees or woodlands if their removal is likely to have a significant impact on the local environment and its enjoyment by the public.
- 2.2 Trees can have a high amenity value and can make an important contribution to the environment, creating a varied, interesting and attractive landscape. They can help define the character of an area and create a sense of place acting as landmark features in urban and rural areas. They also have nature conservation, historic and recreational value. Trees in the Northern Ireland landscape are limited, therefore, where they do exist their contribution is valued.
- 2.3 The Council may make a TPO for the purpose of protecting trees if they are considered to be of special value in terms of amenity, history or rarity, which may or may not be under threat. Therefore, to be considered for a TPO, trees must be of high amenity value and in reasonable condition. The following criteria are used when assessing the merits of a potential TPO:
 - Potential Threat: Priority will be given to the protection of those trees deemed to be at immediate risk from active felling or damage from development on site. All other requests will be assessed and prioritised accordingly.
 - Visibility: The extent to which the trees or woodlands can be seen by the general public will inform the assessment of whether the impact on the local environment is significant.
 - Individual Impact: The mere fact that a tree is publicly visible will not itself be sufficient to warrant a TPO. The tree's particular importance will be assessed by reference to its size and form. Its future potential as an amenity should also be assessed, taking into account any special factors such as its screening value or contribution to the character or appearance of an area. In relation to a group of trees or woodland, an assessment will be made of the collective impact.
 - Wider Impact: The significance of the trees in their local surroundings will also be assessed, taking into account how suitable they are to their particular setting, as well as the presence of other trees in the vicinity.
 - Historical Importance: Certain trees, because of their age, association with the setting of listed buildings, or the contribution they make to the special character of a conservation area, may require consideration for TPO protection.
 - Rarity: There may be occasions where a tree(s) may be considered for TPO protection solely on the grounds of its rarity. The priority of the consideration will reflect the rarity of the species.

- 2.4 All types of tree can be protected. The Order can cover anything from a single tree to woodlands. Normally, unless a Woodland TPO is proposed, only trees over 3.5m in height are considered for a TPO. Hedges, bushes and shrubs will not be protected.
- 2.5 In terms of the process and timescales, a Provisional TPO is normally served first, with the final confirmation within six months, or it can be allowed to lapse if it is considered, as a result of detailed assessment, that the trees are not considered worthy of protection.

3.0 Site Context

- 3.1 The site is located on the northern side of Carncullagh Road. The site contains 64 trees, which include beech, lime, sycamore, larch, black pine, scots pine and cypress. Tree No's. 1-5 and 47-55 are located along the roadside. No's 28 and 32 Carncullagh Road are both residential units. No. 32 Carncullagh Road is the Manse associated with Dervock Presbyterian Church. Most of the trees on Lands at 28 32 Carncullagh Road have been protected since 2005 under TPO26.
- 3.2 The Northern Area Plan (NAP) 2016 currently defines the lands at 28 and 32 Carncullagh Road as being within the Settlement Development Limits of Dervock. Additionally, Housing Zoning DVH 10 is located between Nos. 28 and 32 Carncullagh Road.
- 3.3 Housing Zoning DVH 10 covers 0.35ha with its key site requirements being:
 - Development shall be within the range of 15 to 25 dwellings per hectare.
 - The development will require additional lands outside the site boundary to provide an access from Carncullagh Road, and adequate visibility splays.
 - Dwellings at the road frontage shall be orientated on to Carncullagh Road.
- 3.4 The position of the trees, along the southern (roadside), western and northern boundaries shall not have an impact on Housing Zoning DVH10's key site requirements.

Reason for Consideration of a TPO

- 3.5 Following a review of TPO 26, it was considered that trees to the east of this TPO (not previously protected) had amenity value and may be worthy of consideration for a TPO.
- 3.6 The Council's Planning Department considered that a level of protection was required for the trees, based on the contribution to their local environment and character of the area by providing an attractive landscape feature along Carncullagh Road, Dervock.

- 3.7 A Provisional TPO was served on site on 6th June 2025 (see Appendix 1). This notice took effect immediately and provided protection for all trees on the site for a period of six months (until 6th December 2025). In line with legislation, a copy of the Provisional TPO documentation was also posted to inform interested parties and adjoining neighbours and copies of the Order were also attached to protected trees in obvious locations within the site on 6th June 2025.
- 3.8 The consultation process allowed comments/representations to be submitted within 28 days from the date of Notice of the Provisional TPO (up to 4th July 2025). No objections were received.
- 3.9 Within this period a qualified Arboriculturist was appointed to carry out a detailed assessment of the trees, identifying the current physical condition of each individual tree, allowing for consideration of whether a tree is suitable for protection.

Detailed Assessment of Trees

- 3.10 The site was surveyed on 2nd July 2025 (see Appendix 2). A total of 64 individual trees were surveyed. The report includes specific observations and recommendations for all individual trees.
- 3.11 On assessment of the report and in terms of recommendations for the confirmation of the TPO, it is important to note that the majority of trees are considered to be in a fair condition and suitable for TPO protection. Tree No's. 4, 16, 18, 20, 25, 29, 34, 38, 53 (all common beech) 31, and 46 (both sycamore) are not deemed suitable for protection due to their poor condition. Tree No's. 63 and 64 (both cypress) are not to be protected due to their age and height (both below 3m). The remaining trees are considered appropriate for TPO protection as they are in healthy condition and are considered to have visual public amenity value for road users along Carncullagh Road, Dervock.
- 3.12 There were no objections received regarding the serving of a TPO on lands at 28 32 Carncullagh Road, Dervock.

Summary

- 3.13 The site contains 64 trees, of these, 51 trees are considered to be worthy and suitable for TPO protection. These trees have high public amenity value, being located in a prominent location along the Carncullagh Road, and contribute to the character of the area.
- 3.14 TPO to be Confirmed with modification to include all trees within the site with the exception of Trees 4, 16, 18, 20, 25, 29, 31, 34, 38, 46, 53, 63 and 64.

3.15 Financial Implications

3.16 No financial implications for the Council.

4.0 Options

4.1 **Option 1:** Resolve to confirm the TPO with modifications as detailed above.

Option 2: Resolve not to confirm the TPO.

5.0 Recommendation

5.1 **IT IS RECOMMENDED** that Members agree to either Option 1 or 2 above.

Appendices:

Appendix 1: Provisional TPO Notice and Map

Appendix 2: Tree Report

THE PLANNING ACT (NORTHERN IRELAND) 2011 THE PLANNING (TREES) REGULATIONS (NORTHERN IRELAND) 2015

TREE PRESERVATION ORDER

Lands at 28 - 32 Carncullagh Road, Dervock, BT53 8BY

Causeway Coast and Glens Borough Council (in this Order called "the Council") in exercise of the powers conferred upon it by sections 122, 123 and 183(1) of the Planning Act (Northern Ireland) 2011(a) makes the following order:

No person shall, except with the consent of the Council and in accordance with the conditions, if any, imposed on such consent, cut down, uproot, top, lop, wilfully damage or wilfully destroy or cause or permit the cutting down, uprooting, topping, lopping, wilful damage or wilful destruction of any tree specified in Schedule 1 or comprised in a group of trees or in a woodland specified in that Schedule. the position of which trees, groups of trees or woodlands is defined in the manner indicated in Schedule 1 on the annexed maps which maps shall for the purpose of such definition prevail where any ambiguity arises between them and the specification in Schedule 1.

The Council directs that section 123 (provisional tree preservation orders) shall apply to this Order and, accordingly, this Order shall take effect provisionally on 6TH June 2025.

The Order is subject to the provisions of Schedule 2 and to the exemptions specified in Schedule 3.

Authorised by the Council to sign in that behalf on 6th June 2025.

Authorised Officer

On behalf of: Causeway Coast and Glens Borough Council Planning Manager

SCHEDULE 1

All those trees contained within the area outlined in red on the attached Map A.

(a)2011 c 25 (N.I.)

SCHEDULE 2

Application of provisions of the Planning Act (Northern Ireland) 2011

- 1.-(1) The provisions of sections 40, 58, 59, 60, 68, of the 2011 Act specified in column 1 of Part 1 of Schedule 4 of this Order shall have effect, in relation to consents under this Order and applications for such consent, subject to the adaptations and modifications mentioned in column 2.
- (2) The provisions referred to in paragraph (1), as so adapted and modified, are set out in Part 2 of that Schedule.

Compensation

- 2. Subject to the provisions of this Order any person who has suffered loss or damage in consequence of—
- (a) any refusal of consent to cut down, uproot, top or lop a tree which is the subject of a tree preservation order; or
- (b) the granting of any such consent subject to conditions,

shall if they make a claim to the council within the time and in the manner prescribed by paragraph 5 be entitled subject to such exceptions as may be prescribed to recover from the council compensation in respect of such loss or damage.

- 3. No claim may be made under this Order if the amount in respect of which the claim would otherwise have been made is less than £500.
- 4. No compensation shall be payable to a person:
- (a) for loss of development value or other diminution in the value of the land;
- (b) for loss or damage which, having regard to the statement of reasons as set out in paragraph (5)(1) and any documents or other evidence submitted in support of any such statement, was not reasonably foreseeable when the consent was refused or was granted subject to conditions; or
- (c) for loss or damage reasonably foreseeable by that person and attributable to his or her failure to take reasonable steps to avert the loss or damage or to mitigate its extent.
- 5.-(1) A claim for compensation shall be in writing, stating the reasons for that claim and shall be made by serving it on the council.
- (2) The time within which any such claim shall be made shall be a period of six months from the date of the decision of the council, or where an appeal has been made to the planning appeals commission against the decision of the council from the date of the decision of the commission on the appeal.
- 6. The Lands Tribunal shall determine any question of disputed compensation.

NOTE: Any person who, in contravention of the provisions of this Order cuts down, uproots or wilfully destroys a tree, or wilfully damages, tops or lops a tree in such a manner as to be likely to destroy it is guilty of an offence under section 126 (penalties for contravention of tree preservation orders) of the Planning Act (Northern Ireland) 2011 and liable on summary conviction to a fine not exceeding £100,000; and on conviction on indictment, to a fine. In determining the amount of fine to be imposed on a person convicted of such an offence the court must in particular have regard to any financial benefit which has accrued or appears likely to accrue to that person in consequence of the offence.

Any person who contravenes the provisions of this Order otherwise than as mentioned above, shall be guilty of an offence and liable on summary conviction to a fine not exceeding level 4 on the standard scale.

SCHEDULE 3

This Order shall not apply to require the consent of the council to:

- 1. The cutting down, uprooting, topping or lopping of a tree exempted from the provisions of this Order by section 122(5) of the Planning Act (Northern Ireland) 2011 namely a tree which is dead or has become dangerous, or the cutting down, uprooting, topping or lopping of which is in compliance with obligations imposed by or under any statutory provision or so far as may be necessary for the prevention or abatement of a nuisance.
 - 2. The cutting down, uprooting, topping or lopping of a tree—
 - (a) in pursuance of the power conferred on the operator by virtue of section 106 of the Communications Act 2003(a) and paragraph 19 of Schedule 2 to the Telecommunications Act 1984(b);
 - (b) by a statutory undertaker (defined as such by Section 250 of the Planning Act (Northern Ireland) 2011), where the land on which the tree is situated is operational land (as defined in the Planning (General Permitted Development) Order (Northern Ireland) 2015(c)) of the statutory undertaker and the work is necessary—
- (i) in the interests of the safe operation of the undertaking;
- (ii) in connection with the inspection, repair or renewal of any sewers, mains, pipes, cables or other apparatus of the statutory undertaker; or
 - (iii) to enable the statutory undertaker, to carry out development permitted by or under the Planning (General Permitted Development) Order (Northern Ireland) 2015;
 - (c) where required for the purpose of carrying out development authorised by planning permission granted (other than an outline planning permission) on an application made under Part 3 of the Planning Act (Northern Ireland) 2011;
 - (d) which is a fruit tree cultivated for the production of fruit in the course of a business or trade where such work is in the interests of that business or trade;
 - (e) where required to enable the implementation of an order made under Articles 4(1), 5(1), 6, 14(1), 15(1), 18(1) and 68(1) of the Roads (Northern Ireland) Order 1993(d) or
 - (f) where that work is urgently necessary for national security purposes.
- 3. The pruning, in accordance with good horticultural practice, of any tree cultivated for the production of fruit

⁽a) 2003 c. 21

⁽b) 1984 c 12

⁽c) S R. 2015 no.70

⁽d) 1993 No. 3160 (N.1 15)

SCHEDULE 4 PART 1

Adaptation of sections 40, 58, 59, 60 and 68 of the Planning Act (Northern Ireland)
2011

Column 1: Provision of the 2011 Act Column 2: Adaptation or Modification

S	
Section 40	Substitute this section with-
	"Application for consent to cut down, uproot, top or lop trees
	40.(1) An application for consent made to the council shall be in
	writing containing a statement of reasons for making the application,
	and specifying, by reference if necessary to a map, the trees or
	woodland to which the application relates and the operations for which consent is required.
	(2) The council may grant consent to an application either
	unconditionally, or subject to such conditions (including
	conditions requiring the replacement of any tree or trees) as the
Section 58(1)	council may think fit, or may refuse consent."
Section 38(1)	Omit"-" and "(a)"
	For the words "planning permission to develop land" substitute
	"consent under a tree preservation order". Omit paragraphs (b) and
	(c).
	For the words "permission, consent, agreement or approval" substitute "consent".
Section 58(2)	Omit.
Section 58(2)	For the number "(3)" substitute "(2)".
Section 58(4)	For the number "(4)" substitute "(3)".
5664611 56(1)	Omit the words ",subject to subsections (5) to (7),".
Section 58(5)	Substitute this subsection with—
2001011 20(2)	"(4) Where an appeal is brought under this section, the
	commission must afford both the appellant and the council the
	opportunity of—
	(a) appearing before and being heard by the commission; or
	(b) submitting to the commission a written statement within such
	period and in respect of such matters as the commission may specify
	to them by notice in writing."
Section 58(6)	For the number "(6)" substitute "(5)".
Section 58(7)	Omit.
Section 59(1)	Omit the words "or as the case may be, the Department".
Section 60	After the words "section 58(1)" insert the words "as
	applied and modified by the Planning (Trees) Regulations
	(Northern Ireland) 2015".

Omit the words "either-", "(a)", and "; or" in paragraph

(a).

Omit paragraph (b).

Omit paragraph (c).

For subparagraphs "(i)" and "(ii)" substitute "(a)" and

"(b)" and for the words "permission, consent, agreement or approval" substitute "consent".

In the title omit the words "planning permission" and substitute "consent under a tree preservation order". Substitute the section with the following-

- "(1) If it appears to a council that it is expedient to revoke or modify any consent under a tree preservation order, the council may, subject to subsections (3), (4) and (5) by order revoke or modify the consent to such extent as it considers expedient.
- (2) Without prejudice to the generality of subsection (1), a council may have regard to any material change in circumstances that has occurred since the consent was granted.
- (3) The power conferred by this section to revoke or modify consent under a tree preservation order maybe exercised at any time before the operations for which consent has been given have been completed, but any such revocation or modification shall not affect so much of those operations as has been carried out.
- (4) Where the council makes an order under this section it must serve a notice on-
- (a) the person who applied for the consent;
- (b) the owner and occupier of the land affected; and
- (c) any other person who, in its opinion, would be affected by the order.
- (5) An order under this section shall take effect on the day after that on which the council complies with the requirements of subsection (4).

Section 68

PART 2

Sections 40, 58, 59, 60 & 68 of the Planning Act (Northern Ireland) 2011 as adapted or modified

Application for consent to cut down, uproot, top or lop trees

- **40.-(1)** An application for consent made to the council shall be in writing containing a statement of reasons for making the application, and specifying, by reference if necessary to a map, the trees or woodland to which the application relates and the operations for which consent is required.
- (2) The council may grant consent to an application either unconditionally, or subject to such conditions (including conditions requiring the replacement of any tree or trees) as the council may think fit, or may refuse consent.

Appeals

- **58.**-(I) Where an application is made to a council for consent under a tree preservation order then if that consent is refused or is granted subject to conditions, the applicant may by notice in writing appeal to the planning appeals commission.
- (2) Any notice under this section must be served on the planning appeals commission within 4 months from the date of notification of the decision to which it relates or such other period as may be specified by development order.
- (3) Where an appeal is brought under this section from a decision of a council, the planning appeals commission may allow or dismiss the appeal or may reverse or vary any part of the decision whether the appeal relates to that part thereof or not and may deal with the application as if it had been made to it in the first instance.
- (4) Where an appeal is brought under this section, the commission must afford both the appellant and the council the opportunity of—
- (a) appearing before and being heard by the commission; or
- (b) submitting to the commission a written statement within such period and in respect of such matters as the commission may specify to them by notice in writing.
 - (5) If at any time before or during the determination of an appeal under this section it appears to the planning appeals commission that the appellant is responsible for undue delay in the progress of the appeal, it may-
- (a) give the appellant notice that the appeal will be dismissed unless the appellant takes, within the period specified in the notice, such steps as are specified in the notice for the expedition of the appeal; and
- (b) if the appellant fails to take those steps within that period, dismiss the appeal accordingly.

Matters which may be raised in an appeal under section 58

- **59.-(1)** In an appeal under section 58, a party to the proceedings is not to raise any matter which was not before the council at the time the decision appealed against was made unless that party can demonstrate to the satisfaction of the planning appeals commission-
- (a) that the matter could not have been raised before that time, or
- (b) that its not being raised before that time was a consequence of exceptional circumstances.


- (2) Nothing in subsection (1) affects any requirement or entitlement to have regard to-
 - (a) the provisions of the local development plan, or
 - (11) any other material consideration.


Appeal against failure to take planning decision

- 60. Where any such application as is mentioned in section 58(1) as applied and modified by the Planning (Trees) Regulations (Northern Ireland) 2015 is made to a council, then unless within such period as may be specified by a development order, or within such extended period as may be agreed upon in writing between the applicant and the council, the council gives notice to the applicant of its decision on the application, section 58 shall apply in relation to the application-
- (a) as if the consent to which it relates had been refused by the council; and
- (b) as if notification of the council's decision had been received by the applicant at the end of the period so specified, or at the end of the said extended period, as the case may be.

Revocation or modification of consent under a tree preservation order by council

- **68.-**(1) If it appears to a council that it is expedient to revoke or modify any consent under a tree preservation order, the council may, subject to subsections (3), (4) and (5) by order revoke or modify the consent to such extent as it considers expedient.
- (2) Without prejudice to the generality of subsection (1), a council may have regard to any material change in circumstances that has occurred since the consent was granted.
- (3) The power conferred by this section to revoke or modify consent under a tree preservation order may be exercised at any time before the operations for which consent has been given have been completed, but any such revocation or modification shall not affect so much of those operations as has been carried out.
- (4) Where the council makes an order under this section it must serve a notice on-
- (a) the person who applied for the consent;
- (b) the owner and occupier of the land affected; and
- (c) any other person who, in its opinion, would be affected by the order.
- (5) An order made under this section shall take effect on the day after that on which the council complies with the requirements of subsection (4)





TREE SURVEY REPORT

28 & 32 Carncullugh Rd, Dervock –Causeway Coast and Glens Borough Council

ANDREW BOE BSC (HONS) MARBORA
INDEPENDENT ARBORICULTURAL CONSULTANT
Tel: / Email:

Table of Contents

28 & 32 Carncullugh Rd, Dervock –Causeway Coast and Glens Borough Council	0
Ref: 28 & 32 Carncullugh Rd, Dervock	
Survey details	2
Tree details	2
BS5837 Category	2
Trees suitable for retention	
Recommendations	3
Photographic Record	4
Appendix 1.	5
Bibliography	6
Tree survey Schedule Key.	7

Ref: 28 & 32 Carncullugh Rd, Dervock

Survey details

This tree survey report was requested by Causeway Coast and Glens Borough Council and concerns the tree population growing around the above site.

All information proved to the author of this report is assumed to be accurate.

The scope of this report is to complete a BS5837 2012 specification tree survey of the trees and suggest recommendations for any tree management required.

The survey was carried out using Visual Tree Assessment (VTA) methodologies from ground level only. No below ground, invasive or destructive tests where undertaken. No soil / root samples were taken for analysis.

Weather conditions during the survey were dry with a light wind.

Due to the changing nature of trees and other site circumstances this report and any recommendations made are limited to a 1-year period. Any alteration to the subject site, trees or any development could change the current circumstances and may invalidate this report and any recommendations made.

The report is valid only for normal weather conditions. Healthy trees or parts of healthy trees may fail in normal weather situations although the risk is significantly increased in storm conditions and as the consequences of such weather phenomena are unforeseeable the tree surveyor cannot be held liable for any such failures.

Any alteration or deletion from this report shall invalidate it as a whole.

Tree details

All of the trees found are considered common and no specimen trees where found.

The trees within the property are a mixture of age brackets.

There are a number of other properties of separate ownership bordering the site.

BS5837 Category

Trees have been assigned a Bs5837 category to provide an additional layer of information. A brief summary of each category can be found below.

C- Trees in this category include unremarkable trees of limited merit, small-growing, young species which have a relatively low potential amenity value, and low landscape benefits.

U- Trees assigned to this category are in such a condition that they cannot realistically be retained as living trees in the context of the current land use for longer than 10 years and/or are unsuitable for retention in the proximity of new dwellings or areas of public open space.

B- Trees assigned to this category include healthy attractive trees with remediable defects that are in a condition as to be able to make a significant contribution for a minimum of 20 years.

See Appendix 1 for full definitions of each category.

Trees suitable for retention

Where possible, it is generally considered desirable for Category 'A' and Category 'B' trees to be retained. Category 'U' trees are not considered to be appropriate for retention.

Other factors worth consideration in long term management include:-

- Shading
- Future Pressure for Tree Removal and Pruning
- Seasonal Nuisance
- Infrastructure
- Direct Damage
- Root Protection Areas
- Future Management
- Demolition/Ground Works
- Construction Activity

Recommendations

All recommendations are as per the survey schedule below. Recommendations are based on the site at present and may change as its usage develops.

Andrew Boe BSc (Hons) MArborA

Photographic Record



Photograph 1.



Photograph 2.

Appendix 1.

BS5837:2012 Table 1 – Cascade chart for tree quality assessment

Category and definition	Criteria (including subcategories where appropriate)			Identification on plan
Trees unsuitable for retention (see Note)	(9)			
Category U Those in such a condition that they cannot realistically be retained as living trees in the context of the current land use for longer than 10 years		Trees that have a serious, irremediable, structural defect, such that their early loss is expected due to collapse, including those that will become unviable after removal of other category U trees (e.g. where, for whatever reason, the loss of companion shelter cannot be mitigated by pruning). Trees that are dead or are showing signs of significant, immediate, and irreversible overall decline. Trees infected with pathogens of significance to the health and/or safety of other trees nearby, or very low quality trees suppressing adjacent trees of better quality	apse, including those that will become shelter cannot be mitigated by pruning) w quality trees suppressing adjacent trees	
	NOTE Category U trees can have existing or potent	NOTE Category U trees can have existing or potential conservation value which it might be desirable to preserve; see [BSS837.2012] 4.5.7.	ierve; see [BS5837:2012] 4.5.7 .	
	1 Mainly arboricultural qualities	2 Mainly landscape qualities	3 Mainly cultural values, including conservation	
rees to be considered for retention				
Category A Trees of high quality with an estimated remaining life expectancy of at least 40 years	Trees that are particularly good examples of their frees of high quality with an estimated species, especially if rare or unusual; or those that are essential components of groups or formal or semi-formal arboricultural features (e.g. the dominant and/or principal trees within an avenue)	Trees, groups or woodlands of particular visual Trees, groups or woodlands of significant importance as arboricultural and/or landscape features conservation, historical, commemorative or other value (e.g. veteran trees or wood-pasture)	Trees, groups or woodlands of significant conservation, historical, commemorative or other value (e.g. veteran trees or wood-pasture)	
Category B Trees of moderate quality with an estimated remaining life expectancy of at least 20 years	Trees that might be included in category A, but are downgraded because of impaired condition (e.g. presence of significant though remediable defects, including unsympathetic past management and storm damage), such that they are unlikely to be suitable for retention for beyond 40 years; or trees lacking the special quality necessary to merit the category A designation	Trees present in numbers, usually growing as groups or Trees with material conservation or other woodlands, such that they attract a higher collective cultural value rating than they might as individuals; or trees occurring as collectives but situated so as to make little visual contribution to the wider locality	Trees with material conservation or other cultural value	
Category C	Unremarkable trees of very limited merit or such	Trees present in groups or woodlands, but without this Trees with no material conservation or	Trees with no material conservation or	
Trees of low quality with an estimated remaining life expectancy of at least 10 years, or young trees with a stem diameter below 150 mm	impaired condition that they do not qualify in higher conferring on them significantly greater collective categories teapories temporary/transient landscape benefits	r conferring on them significantly greater collective landscape value; and/or trees offering low or only temporary/transient landscape benefits	other cultural value	

Bibliography

Web Information & Bibliography Web Information

Health and Safety

Executive - http://www.hse.gov.uk/foi/internalops/sims/ag food/010705.htm

Arboricultural Association – http://www.trees.org.uk/index.php Bibliography

- British Standards 3998 (2010) Tree Work Recommendations UK; British Standards Intuition
- British Standards 5837 (2012) Trees in relation to design, demolition and construction. Recommendations; British Standards Intuition
- Lonsdale, D (1999) Principle of Tree Hazard Assessment and Management Edinburgh; Forestry Commission
- Mattheck, C (2007) Field Guide for Visual Tree Assessment Germany; Karlsruhe Research Centre
- Shigo, A.L (1991) Modern Arboriculture USA; Shigo and Trees, Association
- Sterry, P (2007) Collins Complete British Trees London; Collins
- Strouts, R.G (2000) Diagnosis of ill-health in trees Edinburgh; Forestry Commission
- Weber, K & Mattheck, C (2003) Manual of wood decay UK; Arboricultural Association

Tree survey Schedule Key.

The following information is collected for each tree.

- Sequential reference number;
- Structure;
- Species;
- Height in M;
- Stem diameter in mm;
- Branch spread in Metres.
- Life stage;
 - Y Young,
 - SM Semi Mature,
 - EM Early Mature,
 - M Mature,
 - OM Over Mature
- Estimated remaining contribution in years.
- General observations, particularly of structural and/or physiological condition.
- Category 'U' or 'A' to 'C' grading with the subcategory 1, 2 or 3 reflecting arboricultural, landscape or cultural values, respectively. See Appendix 1.
- RPA. Root Protection radius in M and Root Protection Area in sqm
- Recommendations for tree work.

BS5837 Report

Causeway Coast and Glen's Borough Council 28&32 Carncullugh Rd, Dervock

	51	2	∞
No. trees			
Retention Category	В	U	n

I	64
	Total

ees	8	2	51
No. trees			
Rem. Contrib.	<10 years	10+ Years	20+ Years



Andrew Boe BSc.(Hons) MArborA

Independent Arboricultural Consultant	Email: Ajboe@hotmail.co.uk	Tel: 07834895556	Web: www.treesurveyni.co.uk
		WANTED TO	

855837 Tree Surveys. Tree Constraints Plans-Arboricultural Impact Assessments Arboricultural Method Statement Tree Protection Arboricultural Supervision and Ste Monitoring-Mortgage Tree Report-

Arboricultural
Association
Professional Member

Ref.	Species	Full Structure	Measurements	Survey Notes	Retention Category	RPA	ТРО	Measurements2	Recommendations
Т001	Common beech (Fagus sylvatica)	Tree	Height (m): 18 Stem Diam(mm): 850 Spread (m): 3N, 3E, 8S, 8W Life Stage: Over Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Overhangs adjacent Powerlines. Deadwood in the crown.	81	Radius: 10.2m. Area: 327 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.
Т002	Lime (Tilia sp.)	Tree	Height (m): 18 Stem Diam(mm): 500 Spread (m): 6N, 4E, 6S, 4W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Overhangs adjacent Powerlines. Deadwood in the crown.	81	Radius: 6.0m. Area: 113 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.
T003	Lime (<i>Tilia sp.</i>)	Tree	Height (m): 20 Stem Diam(mm): 760 Spread (m): 7N, 6E, 5S, 6W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Overhangs adjacent Powerlines. Deadwood in the crown.	81	Radius: 9.1m. Area: 260 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.

Species	Full Structure	Measurements	Survey Notes	Retention Category	RPA	ТРО	Measurements 2	Recommendations
Common beech (Fagus sylvatica)	Tree	Height (m): 17 Stem Diam(mm): 470 Spread (m): 3N, 3E, 6S, 3W Life Stage: Mature Rem. Contrib.: <10 years	A Single stemmed tree. Poor crown with loss of vigour. Overhangs adjacent road Overhangs adjacent Powerlines. Internal decay suspected. Fungus: Kretzschmaria deusta (Brittle Cinder)	n	Radius: 5.6m. Area: 99 sq m.	O N	Other Reference: Physiological Cond: Poor Structural Cond: Poor Bat Habitat:	Fell tree.
Sycamore (Acer pseudoplatanus)	Tree	Height (m): 13 Stem Diam(mm): 350 Spread (m): 2N, 4E, 5S, 3W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Overhangs adjacent road Overhangs adjacent Powerlines. Partially overgrown with Ivy.	B1	Radius: 4.2m. Area: 55 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.
Larch (<i>Larix sp.)</i>	Tree	Height (m): 17 Stem Diam(mm): 510 Spread (m): 3N, 6E, 6S, 1W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Deadwood in the crown. Partially overgrown with Ivy.	81	Radius: 6.1m. Area: 117 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Common beech (Fagus sylvatica)	Tree	Height (m): 20 Stem Diam(mm): 920 Spread (m): 7N, 8E, 7S, 6W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Deadwood in the crown.	81	Radius: 11.0m. Area: 380 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Common beech (Fagus sylvatica)	Tree	Height (m): 20 Stem Diam(mm): 600 Spread (m): 4N, 3E, 7S, 10W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Deadwood in the crown. Overhangs adjacent building.	81	Radius: 7.2m. Area: 163 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Crown reduce by 4m.
Common beech (Fagus sylvatica)	Tree	Height (m): 12 Stem Diam(mm): 330 Spread (m): 3N, 3E, 3S, 1W Life Stage: Early Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown.	81	Radius: 4.0m. Area: 50 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Black pine (Pinus nigra)	Tree	Height (m): 19 Stem Diam(mm): 500 Spread (m): 3N, 5E, 5S, 0W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Deadwood in the crown. Heavily overgrown with Ivy.	В	Radius: 6.0m. Area: 113 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Sever ivy at base.
Scots pine (Pinus sylvestris)	Tree	Height (m): 16 Stem Diam(mm): 350 Spread (m): 3N, 4E, 0S, 0W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown.	81	Radius: 4.2m. Area: 55 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Common beech (Fagus sylvatica)	Tree	Height (m): 19 Stem Diam(mm): 800 Spread (m): 6N, 7E, 6S, 7W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Partially overgrown with Ivy.	B1	Radius: 9.6m. Area: 290 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required

Survey Notes Retention Category
Stem Diam(mm): 550 A Single stemmed tree. Spread (m): 3N, 0E, 6S, 9W Healthy but unbalanced crown. Life Stage: Mature Partially overgrown with lvy. Rem. Contrib.: 20+ Years
Height (m): 12 Stem Diam(mm): 360 A Single stemmed tree. Spread (m): SN, OE, OS, 7W Healthy but unbalanced crown. Life Stage: Mature Rem. Contrib.: 20+ Years
Height (m): 19 A Single stemmed tree. Stem Diam(mm): 600 A Plealthy but partially suppressed Healthy but partially suppressed B1 Crown. Life Stage: Mature Rem. Contrib.: 20+ Years
A Single stemmed tree. Height (m): 17 Healthy but partially suppressed Stem Diam(mm): 600 Crown. Spread (m): 3N, 3E, 3S, 7W Partially overgrown with lvy. Life Stage: Mature Large decaying cavity on the main Stem. Contrib.: <10 years Internal decay suspected.
Height (m): 19 A Single stemmed tree. Stem Diam(mm): 600 A Flealthy but partially suppressed Healthy but partially suppressed Crown. Life Stage: Mature Rem. Contrib.: 20+ Years
A Single stemmed tree. Height (m): 17 Healthy but partially suppressed Stem Diam(mm): 500 crown. Spread (m): 3N, 7E, 3S, 6W Partially overgrown with lvy. Life Stage: Mature Large decaying cavity on the main Stem. Contrib.: <10 years stem.
Height (m): 17 A Single stemmed tree. Stem Diam(mm): 400 Healthy but unbalanced crown. Spread (m): 5N, 0E, 3S, 6W Partially overgrown with lvy. Life Stage: Mature Minor decay pockets on the main Rem. Contrib.: 20+ Years stem.
Height (m): 8 A Single stemmed tree. Stem Diam(mm): 280 Healthy spreading crown. Spread (m): 3N, 2E, 3S, 3W Partially overgrown with lvy. Life Stage: Early Mature Large decaying cavity on the main stem. Contrib.: 10+ Years stem.
Height (m): 18 Stem Diam(mm): 500 Stead (m): 3N, 7E, 3S, 2W Life Stage: Mature Rem. Contrib.: 20+ Years A Single stemmed tree. Healthy but partially suppressed crown. B1 Ram. Contrib.: 20+ Years Minor decay pocket in the crown.
Height (m): 18 A Single stemmed tree. Stem Diam(mm): 400 Healthy but partially suppressed Spread (m): 5N, 6E, 6S, 1W crown. Life Stage: Mature Rem. Contrib.: 20+ Years Partially overgrown with lvy.

Ref.	Species	Full Structure	Measurements	Survey Notes	Retention Category	RPA	ТРО	Measurements2	Recommendations
Т023	Common beech (Fagus sylvatica)	Tree	Height (m): 19 Stem Diam(mm): 620 Spread (m): 6N, 6E, 6S, 7W Life Stage: Mature Rem. Contrib:: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Partially overgrown with lvy.	81	Radius: 7.4m. Area: 172 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
T024	Scots pine (Pinus sylvestris)	Tree	Height (m): 16 Stem Diam(mm): 350 Spread (m): 3N, 4E, 4S, 0W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Major deadwood in the crown.	B1	Radius: 4.2m. Area: 55 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Т025	Common beech (Fagus sylvatica)	Tree	Height (m): 18 Stem Diam(mm): 1000 Spread (m): 7N, 7E, 7S, 7W Life Stage: Over Mature Rem. Contrib.: <10 years	A Single stemmed tree. Healthy but partially suppressed crown. Old cavities bottom main stem. Internal decay. Ganoderma at the base. Fungus: Ganoderma spp	U	Radius: 12.0m. Area: 452 sq m.	O N	Other Reference: Physiological Cond: Poor Structural Cond: Poor Bat Habitat:	Fell tree.
Т026	Sycamore (Acer pseudoplatanus)	Tree	Height (m): 17 Stem Diam(mm): 410 Spread (m): 0N, 3E, 2S, 7W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Partially overgrown with lvy.	B1	Radius: 4.9m. Area: 75 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Т027	Sycamore (Acer pseudoplatanus)	Tree	Height (m): 17 Stem Diam(mm): 500 Spread (m): 0N, 3E, 2S, 7W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Partially overgrown with lvy. Minor decay pockets on the main stem.	B1	Radius: 6.0m. Area: 113 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
т028	Common beech (Fagus sylvatica)	Tree	Height (m): 19 Stem Diam(mm): 600 Spread (m): 6N, 6E, 6S, 6W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Partially overgrown with lvy.	B1	Radius: 7.2m. Area: 163 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Т029	Common beech (Fagus sylvatica)	Tree	Height (m): 16 Stem Diam(mm): 900 Spread (m): 6N, 0E, 0S, 7W Life Stage: Mature Rem. Contrib.: <10 years	A Single stemmed tree. Poor crown with loss of vigour. Partially overgrown with lvy. Large decaying cavity on the main stem. Wire included on main stem.	U	Radius: 10.8m. Area: 366 sq m.	No	Other Reference: Physiological Cond: Poor Structural Cond: Poor Bat Habitat:	Fell tree.
т030	Sycamore (Acer pseudoplatanus)	Tree	Height (m): 19 Stem Diam(mm): 600 Spread (m): 6N, 6E, 3S, 6W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Partially overgrown with lvy.	B1	Radius: 7.2m. Area: 163 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Т031	Sycamore (Acer pseudoplatanus)	Tree	Height (m): 6 Stem Diam(mm): 130 Spread (m): 2N, 5E, 1S, 1W Life Stage: Semi Mature Rem. Contrib.: 10+ Years	A Single stemmed tree. Healthy but partially suppressed crown.	C1	Radius: 1.6m. Area: 8 sq m.	N N	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required

Species	Full Structure	Measurements	Survey Notes	Retention Category	RPA	ТРО	Measurements 2	Recommendations
Common beech (Fagus sylvatica)	Tree	Height (m): 19 Stem Diam(mm): 500 Spread (m): 2N, 3E, 4S, 2W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Partially overgrown with lvy.	B1	Radius: 6.0m. Area: 113 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Sycamore (Acer pseudoplatanus)	Tree	Height (m): 19 Stem Diam(mm): 540 Spread (m): 6N, 1E, 3S, 5W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Partially overgrown with Ivy.	81	Radius: 6.5m. Area: 133 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Common beech (Fagus sylvatica)	Tree	Height (m): 9 Stem Diam(mm): 470 Spread (m): 3N, 4E, 5S, 3W Life Stage: Mature Rem. Contrib.: <10 years	A Single stemmed tree. Poor crown with loss of vigour. Large decaying cavity on the main stem.	U	Radius: 5.6m. Area: 99 sq m.	ON	Other Reference: Physiological Cond: Poor Structural Cond: Poor Bat Habitat:	Fell.
Sycamore (Acer pseudoplatanus)	Tree	Height (m): 19 Stem Diam(mm): 700 Spread (m): 6N, 1E, 7S, 4W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown.	B1	Radius: 8.4m. Area: 222 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Sycamore (Acer pseudoplatanus)	Tree	Height (m): 19 Stem Diam(mm): 500 Spread (m): 5N, 3E, 5S, 3W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown.	81	Radius: 6.0m. Area: 113 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Sycamore (Acer pseudoplatanus)	Tree	Height (m): 17 Stem Diam(mm): 300 Spread (m): 4N, 5E, 4S, 1W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown.	B1	Radius: 3.6m. Area: 41 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Common beech (Fagus sylvatica)	Tree	Height (m): 18 Stem Diam(mm): 100 Spread (m): 0N, 6E, 8S, 3W Life Stage: Over Mature Rem. Contrib.: <10 years	Twin-stemmed tree. Poor crown with loss of vigour. Internal decay. Ganoderma at the base. Fungus:	U	Radius: 1.2m. Area: 5 sq m.	ON	Other Reference: Physiological Cond: Poor Structural Cond: Poor Bat Habitat:	Fell tree.
Common beech (Fagus sylvatica)	Tree	Height (m): 17 Stem Diam(mm): 500 Spread (m): 1N, 5E, 7S, 1W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but unbalanced crown.	81	Radius: 6.0m. Area: 113 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Common beech (Fagus sylvatica)	Tree	Height (m): 19 Stem Diam(mm): 730 Spread (m): SN, 6E, 7S, 6W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown. Deadwood in the crown.	81	Radius: 8.8m. Area: 243 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Sycamore (Acer pseudoplatanus)	Tree	Height (m): 19 Stem Diam(mm): 500 Spread (m): 0N, 4E, 5S, 3W Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but partially suppressed crown.	81	Radius: 6.0m. Area: 113 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required

Recommendations	No action required	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.	No action required	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.				
Rec	No action	Complete combinat reduction crown this removal (Vhere the street, the street, the tree with tree with clearance clearance	No action	Complete combinat reduction crown this removal construction. Where the street, the ensure the tree with clearance				
Measurements 2	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:				
ТРО	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
RPA	Radius: 7.2m. Area: 163 sq m.	Radius: 8.4m. Area: 222 sq m.	Radius: 7.2m. Area: 163 sq m.	Radius: 6.6m. Area: 137 sq m.	Radius: 1.6m. Area: 8 sq m.	Radius: 6.4m. Area: 129 sq m.	Radius: 4.3m. Area: 58 sq m.	Radius: 6.8m. Area: 145 sq m.
Retention Category	B1	81	81	B1	C1	81	B1	B1
Survey Notes	A Single stemmed tree. Healthy but partially suppressed crown.	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Overhangs adjacent Powerlines. Deadwood in the crown.	A Single stemmed tree. Healthy spreading crown.	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Overhangs adjacent Powerlines. Deadwood in the crown.				
Measurements	Height (m): 19 Stem Diam(mm): 600 Spread (m): 6N, 2E, 3S, 4W Life Stage: Mature Rem. Contrib.: 20+ Years	Height (m): 19 Stem Diam(mm): 700 Spread (m): 7N, 2E, 3S, 4W Life Stage: Mature Rem. Contrib.: 20+ Years	Height (m): 19 Stem Diam(mm): 600 Spread (m): 7N, 7E, 3S, 4W Life Stage: Mature Rem. Contrib.: 20+ Years	Height (m): 17 Stem Diam(mm): 550 Spread (m): 0N, 6E, 6S, 6W Life Stage: Mature Rem. Contrib.: 20+ Years	Height (m): 6 Stem Diam(mm): 130 Spread (m): 2N, 5E, 1S, 1W Life Stage: Semi Mature Rem. Contrib.: 10+ Years	Height (m): 18 Stem Diam(mm): 530 Spread (m): 1N, 5E, 7S, 4W Life Stage: Mature Rem. Contrib.: 20+ Years	Height (m): 9 Stem Diam(mm): 360 Spread (m): 6N, 3E, 3S, 3W Crown Clearance (m): 2 Lowest Branch (m): 2(S) Life Stage: Early Mature Rem. Contrib.: 20+ Years	Height (m): 18 Stem Diam(mm): 570 Spread (m): 3N, 5E, 6S, 4W Life Stage: Mature Rem. Contrib.: 20+ Years
Full Structure	Tree	Tree	Tree	Tree	Tree	Tree	Tree	Tree
Species	Sycamore (Acer pseudoplatanus)	Sycamore (Acer pseudoplatanus)	Sycamore (Acer pseudoplatanus)	Sycamore (Acer pseudoplatanus)	Sycamore (Acer pseudoplatanus)	Common beech (Fagus sylvatica)	Sycamore (Acer pseudoplatanus)	Common beech (Fagus sylvatica)
Ref.	Т042	T043	T044	T045	T046	T047	T048	Т049

Ref.	Species	Full Structure	Measurements	Survey Notes	Retention Category	RPA	ТРО	Measurements 2	Recommendations
T050	Lime (Tilia sp.)	Tree	Height (m): 18 Stem Diann(mm): 700 Spread (m): 5N, 5E, 5S, 5W Crown Clearance (m): 2 Lowest Branch (m): 2 Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Deadwood in the crown. Epicormics.	81	Radius: 8.4m. Area: 222 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.
ТО51	Lime (Tilia sp.)	Tree	Height (m): 18 Stem Diam(mm): 800 Spread (m): 5N, 5E, 5S, 5W Crown Clearance (m): 2 Lowest Branch (m): 2 Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Deadwood in the crown. Epicormics. Fence included.	81	Radius: 9.6m. Area: 290 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.
1052	Lime (Tilia sp.)	Tree	Height (m): 18 Stem Diam(mm): 650 Spread (m): 5N, 5E, 5S, 5W Crown Clearance (m): 2 Lowest Branch (m): 2 Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Deadwood in the crown. Epicormics.	81	Radius: 8.4m. Area: 222 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.
1053	Common beech (Fagus sylvatica)	Tree	Height (m): 18 Stem Diam(mm): 830 Spread (m): 5N, 5E, 7S, 4W Life Stage: Mature Rem. Contrib.: <10 years	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Overhangs adjacent Powerlines. Deadwood in the crown. Fractured limbs - storm damage Large decaying cavity in the crown.	n	Radius: 10.0m. Area: 314 sq m.	O N	Other Reference: Physiological Cond: Poor Structural Cond: Poor Bat Habitat:	Fell tree.
Т054	Lime (Tilia sp.)	Tree	Height (m): 18 Stem Diam(mm): 600 Spread (m): 5N, 5E, 5S, 5W Crown Clearance (m): 2 Lowest Branch (m): 2 Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Deadwood in the crown. Epicormics. Overhangs adjacent Powerlines.	81	Radius: 7.2m. Area: 163 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.

Recommendations	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.
Measurements2	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:				
ТРО	Yes	Yes	Yes	Yes	Yes
RPA	Radius: 6.5m. Area: 133 sq. m.	Radius: 8.9m. Area: 249 sq m.	Radius: 7.2m. Area: 163 sq m.	Radius: 7.2m. Area: 163 sq m.	Radius: 7.8m. Area: 191 sq m.
Retention Category	B1	B1	B1	B1	B1
Survey Notes	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Deadwood in the crown. Epicormics. Overhangs adjacent Powerlines.	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Deadwood in the crown. Epicormics.	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Deadwood in the crown. Epicormics.	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Deadwood in the crown. Epicormics.	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Deadwood in the crown. Epicormics.
Measurements	Height (m): 18 Stem Diam(mm): 540 Spread (m): 4N, 5E, 5S, 5W Crown Clearance (m): 2 Lowest Branch (m): 2 Life Stage: Mature Rem. Contrib.: 20+ Years	Height (m): 18 Stem Diam(mm): 740 Spread (m): 5N, 9E, 5S, 5W Crown Clearance (m): 2 Lowest Branch (m): 2 Life Stage: Mature Rem. Contrib.: 20+ Years	Height (m): 18 Stem Diam(mm): 600 Spread (m): 5N, 5E, 5S, 5W Crown Clearance (m): 2 Lowest Branch (m): 2 Life Stage: Mature Rem. Contrib.: 20+ Years	Height (m): 18 Stem Diam(mm): 600 Spread (m): 5N, 5E, 5S, 5W Crown Clearance (m): 2 Lowest Branch (m): 2 Life Stage: Mature Rem. Contrib.: 20+ Years	Height (m): 18 Stem Diam(mm): 650 Spread (m): 5N, 7E, 55, 5W Crown Clearance (m): 2 Life Stage: Mature Rem. Contrib.: 20+ Years
Full Structure	Tree	Tree	Tree	Tree	Tree
Species	Lime (Tilia sp.)	Lime (Tilio sp.)	Lime (Tilia sp.)	Lime (Tilia sp.)	Lime (Tilia sp.)
Ref.	1055	1056	1057	1058	1059

Ref.	Species	Full Structure	Measurements	Survey Notes	Retention Category	RPA	ТРО	Measurements2	Recommendations
Т060	Lime (Tilia sp.)	Tree	Height (m): 18 Stem Diam(mm): 650 Spread (m): 5N, 5E, 5S, 5W Crown Clearance (m): 2 Lowest Branch (m): 2 Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Deadwood in the crown. Epicormics.	B1	Radius: 7.8m. Area: 191 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.
Т061	Lime (Tilia sp.)	Tree	Height (m): 18 Stem Diam(mm): 900 Spread (m): 5N, 5E, 5S, 5W Crown Clearance (m): 2 Lowest Branch (m): 2 Life Stage: Mature Rem. Contrib.: 20+ Years	A Single stemmed tree. Healthy but unbalanced crown. Overhangs adjacent road Deadwood in the crown. Epicormics.	B1	Radius: 10.8m. Area: 366 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	Complete prune, which is a combination of crown reduction, crown lifting, crown thinning and the removal of epicormic shoots. Where the tree overhangs the street, the Contractor must ensure that they leave the tree with a 5.8 metre height clearance over the road.
T062	Sycamore (Acer pseudoplatanus)	Tree 3 stems	Height (m): 10 3 stems (mm): 400, 360, 250 Spread (m): 6N, 5E, 4S, 7W Crown Clearance (m): 2 Lowest Branch (m): 2(S) Life Stage: Mature Rem. Contrib.: 20+ Years	A multi-stemmed tree. Healthy but partially suppressed crown. Partially overgrown with Ivy.	B1	Radius: 7.1m. Area: 158 sq m.	Yes	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
т063	Cypress (Cupressus sp.)	Tree	Height (m): 2 Stem Diam(mm): 120 Spread (m): 1N, 1E, 1S, 1W Crown Clearance (m): 1 Lowest Branch (m): 1(5) Life Stage: Semi Mature Rem. Contrib.: 10+ Years	A Single stemmed tree. Healthy spreading crown. Regularly pruned as garden shrub.	C1	Radius: 1.4m. Area: 6 sq m.	NO	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required
Т064	Cypress (Cupressus sp.)	Tree	Height (m): 3 Stem Diam(mm): 120 Spread (m): 1N, 1E, 1S, 1W Crown Clearance (m): 1 Lowest Branch (m): 1(5) Life Stage: Semi Mature Rem. Contrib.: 10+ Years	A Single stemmed tree. Healthy spreading crown. Regularly pruned as garden shrub.	C1	Radius: 1.4m. Area: 6 sq m.	NO	Other Reference: Physiological Cond: Fair Structural Cond: Fair Bat Habitat:	No action required

